

< Back to bandsaw machines

## KASTOtec AC 8



Q Zoom



KASTOtec AC 8

Fully hydraulic and automatic high-performance bandsawing machine of robust construction, with saw blade moving parallel in horizontal direction, for cutting of round, square and flat material, of tubes and profiles of all qualities, particularly for tool steels and material which is difficult to cut such as titanium, Hastelloy, Inconel etc.

- Sawband guide via hydraulically pretensioned carbide slideways
- Electronic monitoring of the hydraulic blade tension
- Infinitely variable cutting speed, to be adjusted at central control panel
- Fully automatic, rapid height adjustment of the saw unit via light barrier
- Hydraulic horizontal vices, clearance stroke is standard



Download brochure (PDF 2.7 MB)

We are happy to help:



#### Hotline Sales

Vertrieb, Hotline

Phone: +49 7841 61-100

kasto@kasto.com


Make an inquiry



---

Technical data  
**KASTOtec AC 8**

---

|   |   |
|---|---|
| Cutting range   |   |
| Form  |  |
| Cutting range   | 830 x 830 mm / 830 x 830 mm / 830 mm  |
| Clamping range  | 0 - 830 mm  |
| Smallest dimension to be cut  | 20 x 20 mm  |
| Shortest length of residual piece, single cut   | 20 mm   |
| Shortest remnant length in automatic operation, possible (only if the material has a perfect geometric surface) | 50 mm   |
| Shortest cut-off length   | 8 mm  |
|   |   |
| Mass and height   |   |
| Length incl. chip conveyor  | 2.650 mm  |
| Width with chip conveyor approx.  | 4.900 mm  |
| Height  | 3.050 mm  |
| Total weight  | 13.000 kg   |
| Material support hight  | 730 mm  |

| Performance characteristics            |                     |
|--|---------------------|
| Connected load                         | 20 kW               |
| Power of saw motor                     | 11 kW               |
| Power at running wheel                 | 10 kW               |
| Cutting speed infinitely variable      | 12 - 120 m/min      |
| Material feed length - individual feed | 750 mm              |
| Multiple feed                          | 9.999 mm            |
| Clamping force of machine vice         | 3.000 - 15.000 N    |
| Clamping force of feed vice            | 3.000 - 40.000 N    |
| Saw blade dimensions                   | 9.195 x 67 x 1,6 mm |
| Saw blade dimensions option I          | 9.195 x 80 x 1,6 mm |
| Saw blade dimensions option II         | 9.195 x 54 x 1,6 mm |

We reserve the right to make technical changes.

[Download data sheet](#)

Recommend



[Please contact consultant](#)



## Services & Support options




Assistance Packages

KASTOretrofit

Repairs

24/7 Hotline



KASTO  
[RemoteAssistance]

Spare parts

Inspections and  
maintenance